

L Number	Hits	Search Text	DB	Time stamp
1	19208	edge near detect\$4	USPAT; DERWENT	2004/04/16 10:09
3	0	((edge near detect\$4) and (reduc\$4 near (density adj difference))) and compress\$4	USPAT; DERWENT	2004/04/16 10:11
2	2	(edge near detect\$4) and (reduc\$4 near (density adj difference))	USPAT; DERWENT	2004/04/16 10:13
4	2	((edge near detect\$4) and (reduc\$4 near (density adj difference))) and encod\$4	USPAT; DERWENT	2004/04/16 10:11
5	2	((edge near detect\$4) and (reduc\$4 near (density adj difference))) and encod\$4 and decod\$4	USPAT; DERWENT	2004/04/16 10:12
6	2	(edge near detect\$4) and (reduc\$4 near (density near difference))	USPAT; DERWENT	2004/04/16 10:13
7	145	(reduc\$4 near (density near difference))	USPAT; DERWENT	2004/04/16 10:13
8	2	((reduc\$4 near (density near difference)) and (edge near detect\$4))	USPAT; DERWENT	2004/04/16 10:14

L Number	Hits	Search Text	DB	Time stamp
1	2	5189528.pn.	USPAT; DERWENT	2004/04/16 12:51
2	1	5189528.pn. and printer	USPAT; DERWENT	2004/04/16 13:00
3	1	5189528.pn. and bit	USPAT; DERWENT	2004/04/16 13:03
4	974	((N-1) adj bit	USPAT; DERWENT	2004/04/16 13:04
5	1	((N-1) adj bit) and (density adj conversion)	USPAT; DERWENT	2004/04/16 13:05
6	107	((N-1) adj bit) with conver\$5	USPAT; DERWENT	2004/04/16 13:05
7	4	((N-1) adj bit) adj conver\$5	USPAT; DERWENT	2004/04/16 13:06
8	0	((N-1) adj bit) adj conver\$5) and (increas\$4 near density)	USPAT; DERWENT	2004/04/16 13:07
9	1	((N-1) adj bit) adj conver\$5) and density	USPAT; DERWENT	2004/04/16 13:07

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5189528 A	19930223	89	Image reading apparatus	358/448
2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5177621 A	19930105	117	Self-diagnostic system for image reading equipment	358/406

	Image Doc. Displayed	PT
1	US 5189528	<input type="checkbox"/>
2	US 5177621	<input type="checkbox"/>

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	<input type="checkbox"/>	<input type="checkbox"/>	US 5774077 A	19980630	20	Encoding arrangement and method for encoding (N-1)-bit information words into N-bit channel words and decoding arrangement and method for decoding the channel words into information words	341/50
2	<input type="checkbox"/>	<input type="checkbox"/>	US 4827343 A	19890502	8	Method and apparatus for reducing analog/digital converter requirements in picture-in-picture television circuits	348/565
3	<input type="checkbox"/>	<input type="checkbox"/>	US 4395681 A	19830726	11	System for compensating the offset voltage of a differential amplifier	330/259
4	<input type="checkbox"/>	<input type="checkbox"/>	US 4352123 A	19820928	8	Color-television receiver having integrated circuit for the luminance signal and the chrominance signals	348/574

	Image Doc. Displayed	PT
1	US 5774077	<input type="checkbox"/>
2	US 4827343	<input type="checkbox"/>
3	US 4395681	<input type="checkbox"/>
4	US 4352123	<input type="checkbox"/>